

















Research-to-Operations/Applications Success Stories




Alan Gerard, NSSL Division Chief, WRDD



























Research-to-Operations...

...is at the heart of what NSSL has been since we started...








Weather Radar







ž
















Multi-Radar Multi-Sensor System (MRMS)








Research Improved Operations Improved Services



Polarimetric QPE performance during past summer flash flood events

The R(A) / R(Kdp) algorithm. 24 -hour total




Seen earlier in the review from Ryzhkov





Research Improved Operations Improved Services





Photos: Here's a look at the destruction left by the remnants of Ida in Mass.

Some areas are thought to have received 7 to 8 inches of rain, with one report of 9.5 inches in New Bedford.



Given significant reports of flash flooding and extremely high values from our flash flood parameters like CREST unit streamflow (3000+ units in some cases), hourly rain rates (an ASOS in NJ had an hourly rate of almost 3") etc. coming out of PA/NJ/NY we have high confidence that flash flooding will occur in our area. Several areas of the mid Atlantic are currently experiencing greater than 1 in 200 year (our scale stops at 200) flooding, which is quite a concerning figure given this wall of water will be pushing into our area. In an effort to alert the public before they wind down for bed and to really push messaging to encourage people to stay off roadways during the morning commute, we have tossed out flash flood warnings for several of our "flashy" counties







K\$











R2O, R2X and Knowledge Transfer


























R2O, R2X and Knowledge Transfer



MESOSCALE DISCUSSION 0120 NWS STORM PREDICTION CENTER NORMAN OK 1101 AM CST THU FEB 20 2014

AREAS AFFECTED...NERN TX...SRN AR...NWRN LA

CONCERNING...SEVERE POTENTIAL...WATCH LIKELY

VALID 201701Z - 201900Z

PROBABILITY OF WATCH ISSUANCE...80 PERCENT

SUMMARY...PRE-FRONTAL DEEP CONVECTION HAS JUST COMMENCED ACROSS THE ARKLATEX. THIS ACTIVITY WILL INTENSIFY THIS AFTERNOON WITH A PREDOMINANT MODE OF SHORT LINE SEGMENTS AND EMBEDDED SUPERCELL STRUCTURES LIKELY. ALL SEVERE RISKS APPEAR POSSIBLE...BUT SHOULD GENERALLY REMAIN ISOLATED IN COVERAGE THROUGH MID-AFTERNOON.


DISCUSSION...WITHIN A PRE-FRONTAL CONFLUENCE BAND ALONG THE AXIS OF RICHEST LOW-LEVEL MOISTURE ACROSS THE ARKLATEX...LIGHTNING-PRODUCING CONVECTION HAS COMMENCED JUST WEST OF SHV IN NERN TX AS A STOUT EML NOTED IN 12Z SHV/FWD RAOBS HAS ERODED. ALTHOUGH SURFACE HEATING HAS BEEN SLOWED BY ABUNDANT CLOUDINESS WITHIN THE WARM SECTOR...GRADUAL DESTABILIZATION WILL CONTINUE AND SHOULD YIELD MODEST BUOYANCY WITH MLCAPE INCREASING TO 1000-1500 I/KG, WITH DEEP-LAYER SHEAR GENERALLY PARALLELING THIS INITIATION CORRIDOR...ALONG WITH VEER-BACK WIND PROFILES SAMPLED IN SHV VWP DATA...CONVECTIVE MODE SHOULD LARGELY CONSIST OF SHORT-LINE SEGMENTS, NEVERTHELESS, SUFFICIENT LOW-LEVEL SRH WILL EXIST FOR ROTATING UPDRAFTS CAPABLE OF PRODUCING ALL SEVERE HAZARDS. 12Z NSSL-WRF APPEARS TO HAVE A REASONABLE SCENARIO WITH REGARD TO TIMING OF THIS CONVECTION AND SUGGESTS INTENSITY/COVERAGE WILL INCREASE DURING THE AFTERNOON WITH APPROACH OF THE SURFACE COLD FRONT.





R2O, R2X and Knowledge Transfer

























Citizen Science/mPING







Since January 2020: 632,744 reports Database queried 268.3 million times; over 5 million NWS queries

- Started in 2010 as an outgrowth of the local (central OK) Winter Hydrometeor Ground Truth Experiment to support research and validation of the WSR-88D Hydrometeorological Classification Algorithm
- With time, potential operational application of crowdsourced obs became apparent, and NSSL partnered with NWS personnel to make data available through LDM into AWIPS



K\$

Citizen Science/mPING




2020 NWS Weather Forecast Office (WFO) Survey Results

mPING is used operationally in large majority of responding WFOs

mPING mainly used for situational awareness, but also to: monitor and verify forecasts, verify warnings, cross-check against spotter reports, and (at times) in the warning decision making process

mPING is used often by about half the respondents to adjust short term forecasts out to 12 hours

Bottom line: based on this survey, mPING has significant operational utility for the NWS WFOs



| Filtered Hail Reports (CSV) (Raw Hail CSV)(?) | | | | | | | |
|---|------|----------------------|----------------|-------|------|------|--|
| Time | Size | Location | County | State | Lat | Lon | Comments |
| 1813 | 100 | MOUNT CARMEL | WABASH | IL | 3842 | 8776 | (PAH) |
| 0431 | 175 | WHITE CITY | MORRIS | KS | 3880 | 9673 | (TOP) |
| 0558 | 100 | BELTON | CASS | MO | 3881 | 9453 | MOSTLY NICKEL SIZED HAIL WITH A FEW UP TO QUARTER SIZE. (EAX) |
| 0612 | 100 | 2 NW ASHLAND | BOONE | MO | 3879 | 9228 | LOTS OF HAIL ACCUMULATING ON THE GROUND. (LSX) |
| 0628 | 175 | S OLATHE | JOHNSON | KS | 3889 | 9481 | GOLF BALL SIZED HAIL REPORTED AT 175TH AND MUR-LEN (EAX) |
| | | | | | | | PEA AND DIME SIZE HAIL COVERING THE |
| 0642 | 100 | BELTON | CASS | МО | 3881 | 9453 | GROUND A FEW AS LARGE AS QUARTERS. (EAX) |
| 0710 | 150 | HOLDEN | JOHNSON | MO | 3871 | 9399 | (EAX) |
| 0737 | 150 | WHITEMAN AIR | JOHNSON | МО | 3873 | 9355 | (EAX) |
| 0744 | 100 | WARRENTON | WARREN | МО | 3882 | 9114 | REPORT FROM MPING: QUARTER (1.00 IN.). (LSX) |
| 9748 | 125 | 2 NE SAINT PETERS | ST. CHARLES | MO | 3880 | 9057 | REPORT FROM MPING: HALF DOLLAR (1.25 IN.). (LSX) |
| 0750 | 100 | HTLL | CHARLES | MO | 3888 | 9092 | (LSX) |
| esee | 100 | SEDALIA | PETTIS | мо | 3870 | 9323 | PEA TO QUARTER SIZED HAIL REPORTED AT WALMART AND 50 HIGHWAY IN SEDALIA. |
| 0800 | 100 | INDEPENDENCE | JACKSON | MO | 3909 | 9442 | NICKEL TO QUARTER SIZED HAIL. (EAX) |
| | | | | | | | |
| 0814 | 150 | 2 W SAINT CHARLES | ST. CHARLES | МО | 3880 | 9055 | REPORT FROM MPING: PING PONG BALL (1.50 IN.). (LSX) |
| 0010 | 100 | MOOD KIVEK | PADISON | 14 | 2000 | 2002 | (ESA) |
| 0826 | 125 | 2 NNE FLORISSANT | ST. LOUIS | МО | 3883 | 9031 | (LSX) |
| 0840 | 125 | 1 NW POAG | MADISON | TL. | 3880 | 9004 | VIA TWITTER. (LSX) |
| 0858 | 150 | 1 SE HIGHLAND | MADISON | IL | 3873 | 8965 | REPORT FROM MPING: PING PONG BALL (1.50 IN.). (LSX) |







March 22-25 2021 Southeast Severe/Flash Flood Event

NSSL's influence in the operational community





















CAM Ensembles and SPC Forecasts



SPC forecasts


























MRMS Severe in Operations



"Clean" MRMS rotation tracks for Alabama supercells

In addition to being used in warning operations, critical for providing postevent decision support to emergency management and damage surveys






















Warning Ops R20



























Dual-pol Radar in Warning Ops

[04:03:15] <nws-steven.nelson@nwschat.weather.gov/78e4de59> Really need to hit this hard, Vr increasing heading for south Newnan [04:03:27]

<nws-david.nadler@nwschat.weather.gov/NWSChatLive_207.64.72.94_033628>
IMPORTANT NOTE Given the trajectory of tornadic storm approaching FFC office, we may need to evacuate quickly...within next 20 minutes. If this occurs, NWS Birmingham would assume warning operations until the threat has cleared our office.

[04:04:11] <media-kris.w.jackson@nwschat.weather.gov/Home> be safe [04:04:30]

<gtri-ssrc-john.trostel@nwschat.weather.gov/NWSChatLive_130.207.218.254_033102>
That looks quite alarming! CC, reflectivity, SRV, etc...

[04:04:35]

<em-michael.f.rega@nwschat.weather.gov/NWSChatLive_98.251.15.191_033912>

[04:04:55] <nws-steven.nelson@nwschat.weather.gov/78e4de59> Large TDS still growing some

[04:05:58] <nws-steven.nelson@nwschat.weather.gov/78e4de59> 63kt Vr


[04:06:09] <nws-steven.nelson@nwschat.weather.gov/78e4de59> Heading into Newnan now

[04:06:56] <nws-dylan.lusk@nwschat.weather.gov/Office> Tornado emergency for newnan

[04:08:32] <nws-steven.nelson@nwschat.weather.gov/78e4de59> Were extending the TOR into Fayette

[04:12:59]

<ham-dave.christie@nwschat.weather.gov/NWSChatLive_73.106.222.116_031358> Report from trained weather spotter ham - at 12:10 tornado hit homes near High School in Newnan. Major damage.



















Dual-pol Radar in Warning Ops

GAC077-260415-/O.CON.KFFC.TO.W.0014.000000T0000Z-210326T0415Z/ Coweta GA-1157 PM EDT Thu Mar 25 2021

...A TORNADO WARNING REMAINS IN EFFECT UNTIL 1215 AM EDT FOR NORTHWESTERN COWETA COUNTY...

At 1157 PM EDT, a confirmed large and extremely dangerous tornado was located near Powers Crossroads, or 8 miles southwest of Newman, moving east at 45 mph.

This is a PARTICULARLY DANGEROUS SITUATION. TAKE COVER NOW!


HAZARD...Damaging tornado.

SOURCE...Radar confirmed tornado.

IMPACT...You are in a life-threatening situation. Flying debris may be deadly to those caught without shelter. Mobile homes will be destroyed. Considerable damage to homes, businesses, and vehicles is likely and complete destruction is possible.

Locations impacted include...

Newnan, Moreland, East Newnan, Arnco-Sargent, Powers Crossroads,
Handy and Madras.



















月餐





Dual-pol Radar in Warning Ops

1206 AM EDT Fri Mar 26 2021 GAC077-260415-/O.CON.KFFC.TO.W.0014.000000T0000Z-210326T0415Z/ Coweta GA-

National Weather Service Peachtree City GA

... TORNADO EMERGENCY FOR The City of Newnan...

...A TORNADO WARNING REMAINS IN EFFECT UNTIL 1215 AM EDT FOR CENTRAL COWETA COUNTY...

At 1206 AM EDT, a confirmed large and destructive tornado was located over Newnan, moving northeast at 55 mph.

TORNADO EMERGENCY for Newman. This is a PARTICULARLY DANGEROUS SITUATION. TAKE COVER NOW!

HAZARD...Deadly tornado.


Severe Weather Statement

1206 AM EDT Fri Mar 26 2021

SOURCE...Radar confirmed tornado.

IMPACT...You are in a life-threatening situation. Flying debris may be deadly to those caught without shelter. Mobile homes will be destroyed. Considerable damage to homes, businesses, and vehicles is likely and complete destruction is possible.

Locations impacted include... Newnan, East Newnan, Arnco-Sargent and Madras.





Uncrewed Aerial Systems in Damage Surveys








Collaboration with NWS WFOs and EMs



Large-scale mapping Visible & Multispectral (RGB, RedEdge, NIR) imagery




















***≪

27-28 March Severe Weather








27-28 March Severe Weather








<u>پ</u>د

Tennessee Flash Flooding 27-28 March








Current Hazards Current Conditions Radar Forecasts Rivers and Lakes Climate and Past Weather Local Programs

Overview

An historic flash flooding event affected the central third of Middle Tennessee from the early morning hours on March 27 through the day into the early morning hours on March 27 through the day into the early morning hours on March 27 before stalling near the 1-40 corridor. Between 300-400 AM CDT, numerous showers and thunderstorms developed along the warm front, many of which became severe and produced large hall up to half oldier size along with frequent lightning and heavy rainfall. Showers and storms continued off and on the rest of the day across Middle Tennessee, particularly near the stalled warm front. In fact, another round of severe thunderstorms including supercells developed during the afternoon and evening hours near and south of the warm front. These storms dropped large half up to tennis ball size and caused a few reports of wind damage, but the main impact was additional worsened as showers and storms redeveloped over the same areas though the evening, with numerous Flash Flood Warnings issued and several reports of flooded roads and water rescues.

After midnight, even more heavy rainfall falling along the already waterlogged 1-40 corridor prompted a rate Tlash Flood Emergency for the southern and eastern Nashville metro area, including southeastern Davidson County, western Wilson County, and northern Williamson County. These areas received between 7" to 9" of rain, causing rapid rises on several Nashville metro creeks and streams, including Sevennile Creek (which reached its highest level on record), Browns Creek, and Mill Creek, among others. Many of these creeks reached within their 2nd or 3"d highest water levels on record. The rapid water rises flooded hundreds of homes and businesses, with reports of some people trapped in the attics or on the roofs of their houses. Dozens of roadways were flooded and impassable, including both 1-24 and 1-40, with many cars submerged in the flood waters and people forced to cling noth.



Rainfall Estimates for March 27-28, 2021





















CAM Ensemble and WPC Forecasts



WPC forecast




HREF output






































Mesoscale Precipitation Discussion 0079 NWS Weather Prediction Center College Park MD 959 PM EDT Sat Mar 27 2021

Areas affected...Tennessee...South-Central to Southeastern Kentucky

Concerning...Heavy rainfall...Flash flooding likely

Valid 280155Z - 280800Z


Summary...Significant to dangerous flash flooding is likely over portions of western to middle Tennessee this evening, including the Nashville metro, and could also extend into portions of southeastern Kentucky. Heavy rainfall due to thunderstorms are expected to produce additional localized 3-6" totals through 4 AM

Discussion...Large scale forcing for ascent provided by the approach of a mid/upper level shortwave and the increasing low level convergence an advancing cold front has pooled copious amounts of moisture and instability over the region this evening. Recent IR satellite imagery shows a blossom of deeper convection continuing across much of western to middle Tennessee and regional radar indicates that individual/discrete cells earlier have morphed into several clusters/line segments due to multiple boundary interactions. The recent MRMS QPE suggests upwards of 2"/hr totals are common in the strongest convection and FLASH QPE/FFG ratios are already 200-300 percent across portions of











Mesoscale Precipitation Discussion 0079 NWS Weather Prediction Center College Park MD 959 PM EDT Sat Mar 27 2021

Areas affected...Tennessee...South-Central to Southeastern Kentucky

Concerning...Heavy rainfall...Flash flooding likely

boundary interactions. The recent MRMS QPE suggests upwards of 2"/hr totals are common in the strongest convection and FLASH QPE/FFG ratios are already 200-300 percent across portions of middle TN.

> TEACT COULSELAGUE OU ORAUGTING COTO LLOUF HOS BOOTER COBTORS amounts of moisture and instability over the region this evening. Recent IR satellite imagery shows a blossom of deeper convection continuing across much of western to middle Tennessee and regional radar indicates that individual/discrete cells earlier have morphed into several clusters/line segments due to multiple boundary interactions. The recent MRMS QPE suggests upwards of 2"/hr totals are common in the strongest convection and FLASH QPE/FFG ratios are already 200-300 percent across portions of





Research-to-Operations...

...is at the heart of what NSSL has been since we started...and will continue to be moving forward...



